



Order information	Date of sampling							Client information Client number Name _____ Street _____ address _____ Postal code/ _____ city _____ Country _____
	Number of samples		Administration code	40				
	Code RM	H508						
	Client reference (max. 25 characters)							
	510: Drain/slab water	Test code				☐ Advice / 10 (all samples) ☐ No advice / 11 (all samples) ☐ Only target values / 13 (all samples)		
Sample information	Research number (by Eurofins)	1		2		3		
	Sample number + object code							
	Sample description (max 25 pos.)							
Drain/Slab Water analysis – testcode 510 Drip control – testcode 515 How: send 200 ml of water in a plastic bottle								
Send your samples to: Eurofins Horti Binnenhaven 5 6709 PD Wageningen The Netherlands Tel. +31 (0)88 876 1014 Email horti@eurofins.com								
_____ _____ _____ _____								

Crop data	11 Growing stage	☐ Start scheme ☐ Heavy fruitload	☐ Start scheme ☐ Heavy fruitload	☐ Start scheme ☐ Heavy fruitload
		Nr. of trusses tomato Fruit set sweet pepper < 2 ☐ ≥ 2 ☐	Nr. of trusses tomato Fruit set sweet pepper < 2 ☐ ≥ 2 ☐	Nr. of trusses tomato Fruit set sweet pepper < 2 ☐ ≥ 2 ☐
		☐ Start flowering (cut flowers)	☐ Start flowering (cut flowers)	☐ Start flowering (cut flowers)
	12 Your DRIP Ec/pH	mS/cm pH	mS/cm pH	mS/cm pH
	13 % or EC recirculation	mS/cm of %	mS/cm of %	mS/cm of %
	32 Crop			
	33 Growing medium	☐ Rockwool ☐ Perlite ☐ Oase ☐ Pumice ☐ Coir ☐ Clay gr. ☐ Bark ☐ Potting soil	☐ Rockwool ☐ Perlite ☐ Oase ☐ Pumice ☐ Coir ☐ Clay gr. ☐ Bark ☐ Potting soil	☐ Rockwool ☐ Perlite ☐ Oase ☐ Pumice ☐ Coir ☐ Clay gr. ☐ Bark ☐ Potting soil
	34 Recirculation	☐ Without recirculation (DRA) ☐ With recirculation (RECMO) ☐ NFT (growing on water)	☐ Without recirculation (DRA) ☐ With recirculation (RECMO) ☐ NFT (growing on water)	☐ Without recirculation (DRA) ☐ With recirculation (RECMO) ☐ NFT (growing on water)
	35 Fertilizer unit	☐ A+B tank Tank size (liter) ☐ Injection lts. ☐ Injection ml.	☐ A+B tank Tank size (liter) ☐ Injection lts. ☐ Injection ml.	☐ A+B tank Tank size (liter) ☐ Injection lts. ☐ Injection ml.
	36 Fertilizer choice	☐ Solid (=VAST) ☐ Iperen ☐ Fertigro number ☐ Substrafeed package ☐ Calcium nitrate liquid	☐ Solid (=VAST) Iperen ☐ Fertigro number ☐ Substrafeed package ☐ Calcium nitrate liquid	☐ Solid (=VAST) ☐ Iperen ☐ Fertigro number ☐ Substrafeed package ☐ Calcium nitrate liquid
Chloride	☐ Phos. acid ☐ KCL solid ☐ CaCl2 solid ☐ CaCL2 liquid ☐ Silicium mmol/kg	☐ Phos. acid ☐ KCL solid ☐ CaCl2 solid ☐ CaCL2 liquid ☐ Silicium mmol/kg	☐ Phos. acid ☐ KCL solid ☐ CaCl2 solid ☐ CaCL2 liquid ☐ Silicium mmol/kg	
37 Objectcode water source package 610/612 OR schemecode (neither filled = rainwater)				

Remarks

Page 2 of 2