



**PRESIDENT OF THE BUREAU
FOR CHEMICAL SUBSTANCES**

BSCh-DPL.50.7.2022.MG

GOOD LABORATORY PRACTICE CERTIFICATE

Registration number: 8/2022/DPL

Pursuant to article 16 (4) of the Act of 25 February 2011 on the Chemical Substances and their Mixtures (Journal of Laws 2020, item 2289 and its subsequent amendments), on the basis of the periodic inspection and verification which were held on March 29-30, 2022 and in accordance with the provisions specified in the Regulation of the Minister of Health of 3 August 2021 on Good Laboratory Practice and Performance of Studies in Compliance with the Principles of Good Laboratory Practice (Journal of Laws 2021, item 1422), as well as in accordance with Directive 2004/9/EC and the relevant OECD documents, it is hereby confirmed that

**EUROFINS DermScan Poland Sp. z o.o.
Research Laboratory
ul. Trzy Lipy 3
80-172 Gdansk
Poland**

complies with the OECD and the EU principles of Good Laboratory Practice in the field of:

— **toxicity studies (*in vitro* studies).**

The certificate is valid from July 4, 2022.

GLP Inspectors

Mariusz Godala (PhD, Eng.)
(Lead GLP inspector)

Marek Ubraniak (M. Sc.)
(GLP inspector)



President of the Bureau for Chemical Substances

Agnieszka Dudra (PhD, Eng.)