



Accredited Laboratory

A2LA has accredited

EUROFINS POMONA

Pomona, CA

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 14th day of July 2025.

A blue ink signature of Mr. Trace McInturff.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 5890.01
Valid to June 30, 2027
Revised on January 08, 2026

For the tests to which this accreditation applies, please refer to the laboratory's Chemical Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

EUROFINS POMONA
941 Corporate Center Drive
Pomona, CA 91768
Robert Dean Phone: (626) 260-3752

CHEMICAL

Valid To: June 30, 2027

Certificate Number: 5890.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on bottled water, drinking water, wastewater, and water as a component of food and beverages:

Technologies: Calculation, Chronoamperometric, Conductivity, COUL, Gas Chromatography-Mass Spectroscopy (GC-MS), GC-Electron Capture Detector (GC-ECD), GC-MS-MS, GC-MS-Selective Ion Monitoring (GC-MS-SIM), GC-MS-Triple Quadrupole (GC-MS-TQ), Gravimetry, High Performance Liquid Chromatography-FLUOR (HPLC-FLUOR), HPLC-UV, Inductively Coupled Plasma-MS (ICP-MS), ICP-Atomic Emission Spectroscopy (ICP-AES), Ion Chromatography, Ion-Sensitive Electrode (ISE), IR/COUL, Liquid Chromatography-Electrospray Ionization-Mass Spectroscopy (LC-ESI-MS), LC-ESI-MS-MS, LC-MS, LC-MS-MS, POT, POT-TITR, Rapid Flow, Titration, Turbidimetry, Ultraviolet-Visible Spectroscopy (UV/VIS) and Liquid Scintillation Counting (LSC)

<u>Test(s)</u>	<u>Method(s)</u>
1,4-Dioxane	EPA 522
2,3,7,8-TCDD	EPA 1613 B
Cyanogen Chloride	SM4500 CN J
Acrylamide	In-House Method (LCMS-SOP2440)
Algal Toxins Anatoxin-a Cylindrospermopsin	EPA 545
Total Alkalinity as Calcium Carbonate Bicarbonate as HCO_3 (Calculated) Carbonate as CO_3 (Calculated) Hydroxide as OH (Calculated)	SM 2320B
Ammonia – Nitrogen	EPA 350.1
Chlorinated Acids (Herbicides) 2,4,5-T 2,4,5-TP (Silvex) 2,4-D (Dichlorophenoxy acetic acid) 2,4-DB 3,5-Dichlorobenzoic acid (3,5-DCBA) 2,4,6-Trichlorophenol Acifluorfen Bentazon Chloramben	EPA 515.4

<u>Test(s)</u>	<u>Method(s)</u>
Dacthal acid metabolites (DCPA) Dalapon Dicamba Dichlorprop (2,4-DP) Dinoseb Pentachlorophenol (PCP) Picloram Triclopyr	
Chlorine Dioxide	SM 4500-CLO ₂ D
Chlorine, Free, Combined, Total Residual, Chloramines (Colorimetric)	SM 4500-Cl G
Color	SM 2120B
Conductivity	SM 2510B
Corrosivity (Langelier Index)	SM 2330 B
Cyanide (Amenable)	SM 4500-CN G
Cyanide (Free)	SM 4500CN F
Cyanide (Total)	EPA 335.4
Diquat Paraquat	EPA 549.2
Disinfection By-Products and Halo Acetic Acids 2,4,6-Trichlorophenol (2,4,6-TCP) Bromoacetic acid Bromochloroacetic acid Chloroacetic acid Dibromoacetic acid Dichloroacetic acid Total haloacetic acids (HAA5) Trichloroacetic acid	SM 6251 B
Disinfection By-Products and Halo Acetic Acids Bromoacetic acid Bromochloroacetic acid Chloroacetic acid Dibromoacetic acid Dichloroacetic acid Total haloacetic acids (HAA5) Trichloroacetic acid	EPA 552.2
Ethylene Dibromide (EDB) 1,2,3,-Trichloropropane (TCP) 1,2-Dibromo-3-Chloropropane (DBCP)	EPA 504.1
Disinfection Byproducts Bromochloroacetonitrile (BCAN) Chloral Hydrate Chloropicrin Dibromoacetonitrile (DBAN) Dichloroacetonitrile (DCAN) Trichloroacetonitrile (TCAN) 1,1,1-Trichloro-2-propanone 1,1-Dichloro-2-propanone	EPA 551.1
Ethylenediaminetetraacetic Acid (EDTA)	In-House Method (IC SOP2454)
Nitrilotriacetic Acid (NTA)	In-House Method (IC SOP2454)

<u>Test(s)</u>	<u>Method(s)</u>
Endothall	EPA 548.1
Endothall	In-House Method (LCMS-SOP2445)
Fluoride	SM 4500F C
Glyphosate	EPA 547
Glyphosate Aminomethylphosphonic Acid (AMPA)	In-House Method (LCMS-SOP3618)
Hardness	SM 2340 B
Hexavalent Chromium	EPA 218.6 EPA 218.7
Iodide and Iodate	In-House Method (LCMS-2444)
Inorganic Anions and DBPs Bromide Chlorate Chloride Chlorite Nitrate as N Nitrite as N Orthophosphate Sulfate Total Nitrate + Nitrite (calculation)	EPA 300.0
Inorganic Anions and DBPs Bromate Bromide Chlorate Nitrite as N	EPA 300.1
Metals Boron Calcium Iron Lithium Magnesium Manganese Potassium Silica as SiO ₂ Sodium	EPA 200.7
Metals Aluminum Antimony Arsenic Barium Beryllium Cadmium Chromium Cobalt Copper Lead Lithium Manganese Mercury Molybdenum Nickel	EPA 200.8

<u>Test(s)</u>	<u>Method(s)</u>
Selenium Silver Strontium Tin Titanium Thallium Thorium Uranium Vanadium Zinc	
Nitrosamines N-Nitrosodiethylamine (NDEA) N-Nitrosodimethylamine (NDMA) N-Nitrosodi-n-butylamine (NDBA) N-Nitrosodi-n-propylamine (NDPA) N-Nitrosomethylamine (NMEA) N-Nitrosomorpholine (NMOR) N-Nitrosopiperidine (NPIP) N-Nitrosopyrrolidine (NPYR)	EEA-Agilent 521.1 (GCMS-SOP24250)
N-methyl-carbamoyloximes and N-methylcarbamates 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfoxide Baygon (Propoxur) Carbaryl Carbofuran Methiocarb Methomyl Oxamyl	EPA 531.2
Odor	SM 2150B
Organohalide Pesticides and Commercial Polychlorinated Biphenyl (PCB) Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260 Chlordane (n.o.s.) Total PCBs Toxaphene	EPA 505
Ortho Phosphate	SM 4500P E
Oxyhalides Disinfection Byproducts Bromate	EPA 317.0
Perchlorate	EPA 331.0
Perfluorinated Alkyl Acids 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS) 1H, 1H, 2H, 2H-Perfluorohexanesulfonic acid (4:2 FTS) 1H, 1H, 2H, 2H-Perfluorooctanesulfonic acid (6:2 FTS)	EPA 533

<u>Test(s)</u>	<u>Method(s)</u>
1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid (8:2 FTS) 4,8-Dioxa-3H-perfluorononanoic acid (DONA) 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS) Hexafluoropropyleneoxide dimer acid (HFPO-DA)(GenX) Nonfluoro-3,6-dioxaheptanoic acid (NFDHA) Perfluoro(2-ethoxyethane) sulfonic acid (PFEEA) Perfluoro-3-methoxypropanoic acid (PFMPA) Perfluoro-4-methoxybutanoic acid (PFMBA) Perfluorobutane sulfonic acid (PFBS) Perfluorobutanoic acid (PFBA) Perfluorodecanoic acid (PFDA) Perfluorododecanoic acid (PFDOA) Perfluoroheptane sulfonic acid (PFHpS) Perfluoroheptanoic acid (PFHpA) Perfluorohexane sulfonic acid (PFHxS) Perfluorohexanoic acid (PFHxA) Perfluorononanoic acid (PFNA) Perfluorooctane sulfonic acid (PFOS) Perfluorooctanoic acid (PFOA) Perfluoropentanoic acid (PFPeA) Perfluoropentane sulfonic acid (PFPeS) Perfluoroundecanoic acid (PFUnDA)	
Perfluorinated Alkyl Acids 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS) 4,8-Dioxa-3H-perfluorononanoic acid (DONA) 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS) Hexafluoropropyleneoxide dimer acid (HFPO-DA)(GenX) N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA) N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA) Perfluorobutane sulfonic acid (PFBS) Perfluorodecanoic acid (PFDA) Perfluorododecanoic acid (PFDOA) Perfluoroheptanoic acid (PFHpA) Perfluorohexane sulfonic acid (PFHxS) Perfluorohexanoic acid (PFHxA) Perfluorononanoic acid (PFNA) Perfluorooctane sulfonic acid (PFOS) Perfluorooctanoic acid (PFOA) Perfluorotetradecanoate (PFTDA) Perfluorotridecanoic acid (PFTrDA) Perfluoroundecanoic acid (PFUnDA)	EPA 537.1
Personal Care Products, Pharmaceutical (PPCP) and Endocrine Disrupters Compounds (EDC), Herbicide Degradates Bisphenol A (BPA)	In-House Methods: LCMS-SOP67974 – Negative Mode
pH	SM 4500-H+ B
Phenolics – Low Level	In House EPA420.4 (WET CHEM SOP2493)
Radon-222	SM 7500RN B
Residue (Filterable)	SM 2540C

<u>Test(s)</u>	<u>Method(s)</u>
Residue (Non-Filterable)	SM 2540D
Residue (Total)	SM 2540B
Semi-Volatile Compounds 2,4-Dinitrotoluene (2,4-DNT) 2,6-Dinitrotoluene (2,6-DNT) 2,4'-DDD 2,4'-DDE 2,4'-DDT 4,4'-DDD 4,4'-DDE 4,4'-DDT Acenaphthene Acenaphthylene Acetochlor Alachlor Aldrin alpha-BHC alpha Chlordane Anthracene Atrazine beta-BHC Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene bis(2-Ethylhexyl)adipate (di(2-ethylhexyl)adipate) Bromacil Butachlor Butyl benzyl phthalate Chlordane (tech.)(N.O.S.) Chlorpyrifos Chrysene Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP) delta-BHC Diazinon Dibenz(a,h) anthracene Dieldrin Diethyl phthalate Dimethyl phthalate Dimethoate Di-n-butyl phthalate Di-n-octyl phthalate Endrin EPTC (Eptam, s-ethyl-dipropyl thio carbamate) Fluoranthene Fluorene gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) gamma Chlordane Heptachlor Heptachlor epoxide Hexachlorobenzene Hexachlorocyclopentadiene	EPA 525.2

<u>Test(s)</u>	<u>Method(s)</u>
Indeno(1,2,3-cd) pyrene Methoxychlor Metolachlor Metribuzin Molinate Naphthalene Napropamide Pendimethalin Phenanthrene Propachlor (Ramrod) Pyrene Simazine Terbacil Tertbutylazine Thiobencarb Transnonachlor Trifluralin (Treflan)	
Sulfide	SM 4500-S D
Surfactants	SM 5540C
Total Organic Carbon (TOC) Biodegradable DOC (In-house method) Dissolved Organic Carbon (DOC)	SM 5310 C
Total Phenols	EPA 420.1 (Preparation) EPA 420.4
Total Phosphorous	EPA 365.1
Turbidity	EPA 180.1
Volatile Organic Compounds 1,1,1,2-Tetrachloroethane 1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,1-Dichloropropene 1,2,3-Trichlorobenzene 1,2,3-Trichloropropane 1,2,4-Trichlorobenzene 1,2,4-Trimethylbenzene 1,2-Dichlorobenzene (o-Dichlorobenzene) 1,2-Dichloroethane (Ethylene dichloride) 1,2-Dichloropropane 1,3,5-Trimethylbenzene 1,3-Dichlorobenzene 1,3-Dichloropropane 1,4-Dichlorobenzene 2,2-Dichloropropane 2-Chlorotoluene 4-Chlorotoluene 4-Isopropyltoluene (p-Cymene,p-Isopropyltoluene) Benzene Bromobenzene	EPA 524.2

<u>Test(s)</u>	<u>Method(s)</u>
Bromochloromethane Bromodichloromethane Bromoform Carbon disulfide Carbon tetrachloride Chlorobenzene Chlorodibromomethane Chloroethane (Ethyl chloride) Chloroform cis-1,2-Dichloroethylene cis-1,3-Dichloropropene Dibromochloromethane Dibromomethane (Methylene bromide) Dichlorodifluoromethane (Freon-12) Di-isopropylether (DIPE) (Isopropyl Ether) Ethylbenzene Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane) Hexachlorobutadiene Isopropylbenzene m+p-Xylene Methyl bromide (Bromomethane) Methyl chloride (Chloromethane) Methyl Isobutyl Ketone Methyl tert-butyl ether (MTBE) Methylene chloride (Dichloromethane) Naphthalene n-Butylbenzene n-Propylbenzene o-Xylene sec-Butylbenzene Styrene T-amylmethylether (TAME) tert-Butylbenzene Tetrachloroethylene (Perchloroethylene) (PCE) Toluene Total Trihalomethanes (TTHM) trans-1,2-Dichloroethylene trans-1,3-Dichloropropylene Trichloroethene (Trichloroethylene) (TCE) Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) Trichlorotrifluoroethane Vinyl chloride (chloroethene) Xylenes (Total)	
Volatile Organic Compounds Epichlorohydrin	In-House Method EPA 524.2 (SOP 2412)
UV 254 Organic Constituents	SM 5910B



Accredited Laboratory

A2LA has accredited

EUROFINS POMONA

Pomona, CA

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 14th day of July 2025.

A blue ink signature of Mr. Trace McInturff.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 5890.02
Valid to June 30, 2027
Revised on January 08, 2026

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

EUROFINS POMONA
941 Corporate Center Drive
Pomona, CA 91768
Robert Dean Phone: (626) 260-3752

BIOLOGICAL

Valid To: June 30, 2027

Certificate Number: 5890.02

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on ambient water, bottled water, drinking water, wastewater, and water as a component of food and beverages:

Technologies: Enzyme-Linked Immunosorbent Assay (ELISA), Flow Cytometer, Heterotrophic Plate Count (HPC), IDEXX, IDEXX Colilert, IDEXX Colisure, Membrane Filter, Microscope, Multiple Tube Fermentation, MTF/EC+MUG, Pseudalert,

<u>Test(s)</u>	<u>Method(s)</u>
Algae Enumeration	SM10200F (Micro SOP2352)
Algae Identification	SM10900B (Micro SOP2352)
Enterococci (Enumeration)	SM 9230 D, Idexx Enterolert®
<i>Escherichia coli</i> (Enumeration)	SM 9221 F
Fecal Coliform (Enumeration)	SM 9221 E (MTF/EC)
Fecal Streptococci and Enterococci	SM 9230 B
Heterotrophic Bacteria	SM 9215 B
HPC by membrane filtration	Micro SOP75687
<i>Legionella</i> (Enumeration)	Idexx Legiolert®
Phytoplankton by Flow Cytometry	SM10200 F (Micro SOP5424)
<i>Pseudomonas aeruginosa</i> (P/A and Enumeration)	Idexx Pseudalert®, Idexx Pseudalert® 250
Total Coliform (Enumeration)	SM 9221 B
Total Coliform/ <i>E. coli</i> (Enumeration)	SM 9223 Colilert®, SM 9223 Colilert-18®
Total Coliform/ <i>E. coli</i> (P/A)	SM 9223 Idexx Colilert®, Idexx Colilert® 18, Idexx Colisure®
Total Microcystins and Nodularins	EPA 546
Yeast and Mold	SM 9610D