

North Carolina
Department of Health and Human Services
Laboratory Certification



*in accordance with the provisions of regulations 10A NCAC 42D 0.200
certification for the analysis of drinking water has been granted to*

Eurofins Orlando
Laboratory Number 12712

For the following analyte group(s)

Inorganic and Organic Chemistry

Refer to most-recent status sheet for analytes and methods

July 1, 2025

Issue date

July 31, 2026

Expiration date

Lawrence Greenblatt, MD
State Health Director

Scott M. Shone, PhD, HCLD (ABB)
Director, State Laboratory


Michele Sartin
Drinking Water Certification

This laboratory has met the minimum requirements for the certification to analyze drinking water.
This certificate does not guarantee accurate results.

*North Carolina Department of Health and Human Services
State Laboratory of Public Health*

EUROFINS ORLANDO

Lab Number 12712

Effective Date:

July 1, 2025

This secondary certification is contingent on maintaining certification by a Primary Accrediting Body.

North Carolina Drinking Water Certification Status Sheet :

Analyte Code (UR = Unregulated)	Method Code	Method
Metals		
1002	Aluminum (UR)	200.8 Inductively Coupled Plasma/MS
1074	Antimony	200.8 Inductively Coupled Plasma/MS
1005	Arsenic	200.8 Inductively Coupled Plasma/MS
1010	Barium	200.8 Inductively Coupled Plasma/MS
1075	Beryllium	200.8 Inductively Coupled Plasma/MS
1015	Cadmium	200.8 Inductively Coupled Plasma/MS
1016	Calcium (UR)	200.7 Inductively Coupled Plasma
1020	Chromium	200.8 Inductively Coupled Plasma/MS
1022	Copper	200.8 Inductively Coupled Plasma/MS
1028	Iron	200.7 Inductively Coupled Plasma
1030	Lead	200.8 Inductively Coupled Plasma/MS
1031	Magnesium	200.7 Inductively Coupled Plasma
1032	Manganese	200.7 Inductively Coupled Plasma
1035	Mercury	245.1 Manual Cold Vapor
1036	Nickel	200.8 Inductively Coupled Plasma/MS
1045	Selenium	200.8 Inductively Coupled Plasma/MS
1050	Silver (UR)	200.8 Inductively Coupled Plasma/MS
1052	Sodium	200.7 Inductively Coupled Plasma
1085	Thallium	200.8 Inductively Coupled Plasma/MS
1095	Zinc (UR)	200.8 Inductively Coupled Plasma/MS

*North Carolina Department of Health and Human Services
State Laboratory of Public Health*

EUROFINS ORLANDO

Lab Number 12712

Effective Date:

July 1, 2025

This secondary certification is contingent on maintaining certification by a Primary Accrediting Body.

General Chemistry

1011	Bromate	300.1	Ion Chromatography
1017	Chloride (UR)	300.0	Ion Chromatography
1009	Chlorite	300.1	Ion Chromatography
1905	Color (UR)	2120B	Visual - Color
1024	Cyanide	4500CN-E	Spectrophotometric, manual
1040	Nitrate	300.0	Ion Chromatography
1040	Nitrate	353.2	Cadmium reduction, automated
1041	Nitrite	353.2	Cadmium reduction, automated
1044	Orthophosphate (UR)	300.0	Ion Chromatography
1925	pH Units (UR)	4500H-B	Electrometric
1055	Sulfate	300.0	Ion Chromatography
1930	TDS-Total Dissolved Solids	2540C	Gravimetric
2920	Total Organic Carbon (TOC)	5310C	Persulfate-UV Oxidation
0100	Turbidity (UR)	180.1	Nephelometric

THMs

2943	Bromodichloromethane	524.2	GC/MS - P&T, Cap col.
2942	Bromoform	524.2	GC/MS - P&T, Cap col.
2944	Chlorodibromomethane	524.2	GC/MS - P&T, Cap col.
2941	Chloroform	524.2	GC/MS - P&T, Cap col.
2950	Total Trihalomethanes	524.2	GC/MS - P&T, Cap col.

*North Carolina Department of Health and Human Services
State Laboratory of Public Health*

EUROFINS ORLANDO

Lab Number 12712

Effective Date:

July 1, 2025

This secondary certification is contingent on maintaining certification by a Primary Accrediting Body.

VOCs

2981	1,1,1-Trichloroethane	524.2	GC/MS - P&T, Cap col.
2985	1,1,2-Trichloroethane	524.2	GC/MS - P&T, Cap col.
2977	1,1-Dichloroethylene	524.2	GC/MS - P&T, Cap col.
2378	1,2,4-Trichlorobenzene	524.2	GC/MS - P&T, Cap col.
2968	1,2-Dichlorobenzene	524.2	GC/MS - P&T, Cap col.
2980	1,2-Dichloroethane	524.2	GC/MS - P&T, Cap col.
2983	1,2-Dichloropropane	524.2	GC/MS - P&T, Cap col.
2969	1,4-Dichlorobenzene	524.2	GC/MS - P&T, Cap col.
2990	Benzene	524.2	GC/MS - P&T, Cap col.
2982	Carbon Tetrachloride	524.2	GC/MS - P&T, Cap col.
2989	Chlorobenzene	524.2	GC/MS - P&T, Cap col.
2380	cis-1,2-Dichloroethylene	524.2	GC/MS - P&T, Cap col.
2964	Dichloromethane	524.2	GC/MS - P&T, Cap col.
2992	Ethylbenzene	524.2	GC/MS - P&T, Cap col.
2996	Styrene	524.2	GC/MS - P&T, Cap col.
2987	Tetrachloroethylene	524.2	GC/MS - P&T, Cap col.
2991	Toluene	524.2	GC/MS - P&T, Cap col.
2955	Total Xylenes	524.2	GC/MS - P&T, Cap col.
2979	trans-1,2-Dichloroethylene	524.2	GC/MS - P&T, Cap col.
2984	Trichloroethylene	524.2	GC/MS - P&T, Cap col.
2976	Vinyl Chloride	524.2	GC/MS - P&T, Cap col.

Haloacetic Acids

2454	Dibromoacetic acid	552.3	GC - Micro L/L, Cap col, ECD
2451	Dichloroacetic acid	552.3	GC - Micro L/L, Cap col, ECD
2453	Monobromoacetic acid	552.3	GC - Micro L/L, Cap col, ECD
2450	Monochloroacetic acid	552.3	GC - Micro L/L, Cap col, ECD
2456	Total Haloacetic Acids	552.3	GC - Micro L/L, Cap col, ECD
2452	Trichloroacetic acid	552.3	GC - Micro L/L, Cap col, ECD

*North Carolina Department of Health and Human Services
State Laboratory of Public Health*

EUROFINS ORLANDO

Lab Number 12712

Effective Date:

July 1, 2025

This secondary certification is contingent on maintaining certification by a Primary Accrediting Body.

Pesticides

2931	1,2-Dibromo-3-Chloropropane	504.1	GC - Micro L/L, Cap col, ECD
2959	Chlordane	505	GC - Micro L/L, Cap col, ECD
2005	Endrin	505	GC - Micro L/L, Cap col, ECD
2946	Ethylene dibromide (EDB)	504.1	GC - Micro L/L, Cap col, ECD
2065	Heptachlor	505	GC - Micro L/L, Cap col, ECD
2067	Heptachlor Epoxide	505	GC - Micro L/L, Cap col, ECD
2274	Hexachlorobenzene	505	GC - Micro L/L, Cap col, ECD
2042	Hexachlorocyclopentadiene	505	GC - Micro L/L, Cap col, ECD
2010	Lindane	505	GC - Micro L/L, Cap col, ECD
2015	Methoxychlor	505	GC - Micro L/L, Cap col, ECD
2020	Toxaphene	505	GC - Micro L/L, Cap col, ECD

Herbicides

2110	2,4,5-TP (Silvex)	515.4	GC - Micro L/L, Cap col, ECD
2105	2,4-D	515.4	GC - Micro L/L, Cap col, ECD
2051	Alachlor	525.2	GC/MS - L/S, Cap col.
2050	Atrazine	525.2	GC/MS - L/S, Cap col.
2031	Dalapon	515.4	GC - Micro L/L, Cap col, ECD
2041	Dinoseb	515.4	GC - Micro L/L, Cap col, ECD
2032	Diquat	549.2	HPLC - L/S ext. UV
2033	Endothall	548.1	GC/MS or GC/FID - L/S Cap col
2034	Glyphosate	547	HPLC - Post col Rx, Fluoresc.
2326	Pentachlorophenol	515.4	GC - Micro L/L, Cap col, ECD
2040	Picloram	515.4	GC - Micro L/L, Cap col, ECD
2037	Simazine	525.2	GC/MS - L/S, Cap col.

Carbamates

2046	Carbofuran	531.1	HPLC - Post col. Rx. Fluores.
2036	Oxamyl	531.1	HPLC - Post col. Rx. Fluores.

PAHs

2306	Benzo(a)pyrene	525.2	GC/MS - L/S, Cap col.
2039	Di(2-Ethylhexyl) Phthalate	525.2	GC/MS - L/S, Cap col.
2035	Di-2(ethylhexyl)adipate	525.2	GC/MS - L/S, Cap col.

PCBs

2383	Polychlorinated biphenyls PCB	505	GC - Micro L/L, Cap col, ECD
------	-------------------------------	-----	------------------------------