


www.eurofinsus.com/Built

730 SE Maynard Road, Cary, NC 27511

Tel: 866-481-1412; Fax: 919-481-1442

LAB USE ONLY:

Lab Code:

Lab I.D. Range:

COMPANY INFORMATION		PROJECT INFORMATION
CLIENT #:		Job Contact:
Company:		Email / Tel:
Address:		Project Name:
		Project ID#:
Email:		PO #:
Tel:	Fax:	STATE SAMPLES COLLECTED IN:

IF TAT IS NOT MARKED STANDARD 3 DAY TAT APPLIES.

ASBESTOS	METHOD	TURN AROUND TIME					
		4 HR	8 HR	1 DAY	2 DAY	3 DAY	5 DAY
PLM BULK (FRIABLE)	NYSDOH ELAP 198.1	☐	☐	☐	☐	☐	☐
PLM BULK (NOB)	NYSDOH ELAP 198.6		☐	☐	☐	☐	☐
TEM BULK (NOB)	NYSDOH ELAP 198.4		☐	☐	☐	☐	☐
PLM SOF-VERMICULITE	NYSDOH ELAP 198.8				☐	☐	☐
PLM/TEM BULK (NOB)	NY ELAP 198.6/198.4		☐	☐	☐	☐	☐
PCM AIR	NIOSH 7400	☐	☐	☐	☐	☐	☐
TEM AIR	EPA AHERA	☐	☐	☐	☐	☐	☐
TEM AIR	NIOSH 7402	☐	☐	☐	☐	☐	☐
TEM AIR	ISO 10312	☐	☐	☐	☐	☐	☐
TEM AIR	ASTM 6281-15	☐	☐	☐	☐	☐	☐
TEM AIR (PCME)	ISO 10312		☐	☐	☐	☐	☐
TEM DUST WIPE	ASTM D6480-05 (2010)	☐	☐	☐	☐	☐	☐
TEM DUST MICROVAC	ASTM D5755-09 (2014)	☐	☐	☐	☐	☐	☐
TEM SOIL	ASTM D7521-16			☐	☐	☐	☐
TEM VERMICULITE	CINCINNATI METHOD			☐	☐	☐	☐
TEM QUALITATIVE	IN-HOUSE METHOD		☐	☐	☐	☐	☐
OTHER:		☐	☐	☐	☐	☐	☐

REMARKS / SPECIAL INSTRUCTIONS:

☐ Accept Samples
☐ Reject Samples

Relinquished By:	Date/Time	Received By:	Date/Time

1) Samples will be disposed of 60 days after analysis; A minimum of 10 grams of sample is required for SOF-V

2) Laboratory will reject any NY PCM projects that do not have at least 2 field blanks or 10% of the total number of samples in the batch, whichever is greater.

Page _____ of _____

EBET-CR-FRM94192v1

COMPANY CONTACT INFORMATION	
Company:	Job Contact:
Project Name:	
Project ID #:	Tel:

[illegible]