



ENVIRONMENTAL LABORATORY LICENSE

Issued to:

Laboratory Director: Mrs. Kamila Reichert

Owner/Representative: Mr. Fred Jaeger

Eurofins Built Environment Testing East - Cary
AZ0861

is in compliance with Environmental Laboratory's applicable standards for the State of Arizona and maintains on file a List of Parameters for which the laboratory is certified to perform analysis.

PERIOD OF LICENSURE FROM: 07/22/2026 TO: 07/22/2027



A handwritten signature in cursive script that reads "Mary Graham".

Mary Graham, Chief
Office of Laboratory Licensure & Certification
Bureau of State Laboratory Services

Arizona Department Of Health Services
Office of Laboratory Licensure and Certification
250 N.17th Avenue, Phoenix, Arizona 85007-3246

SDW

Parameter	EPA Method	Certified On
ASBESTOS	EPA 100.2 (6/94)	7/22/2026 12:00:00 AM
Total Count: 1		

Instrument

Instrument	Instrument Code	Quantity	Certified On
TRANSMISSION ELECTRON MICROSCOPE	TEM	1	7/22/2026 12:00:00 AM
Total Count: 1			

Software

Software Code	Certified On
OTHER - TRANSMISSION ELECTRON MICROSCOPE	7/22/2026 12:00:00 AM
Total Count: 1	



February 4, 2026

Kamila Reichert
Eurofins Built Environment Testing East - Cary
730 SE Maynard Rd
Cary, NC 27511

Dear Mrs. Reichert:

This is to confirm that Eurofins Built Environment Testing East – Cary, is accredited by a National Voluntary Laboratory Accreditation Program (NVLAP) administered by the National Institute of Standards and Technology, and has been approved by the Arizona Department of Health pursuant to A.R.S. §§36-495.02 (5) to perform airborne and Bulk Asbestos Fiber Analysis compliance testing.

The Arizona Department of Health Services, Office of Laboratory Licensure and Certification, has determined that the laboratory's ADHS certified date will coincide with the dates on the laboratory's NVLAP certificate.

AZ0947 is the number which you will need to use when reporting compliance results to ADEQ or USEPA. Your approval from Arizona Licensure Program must be renewed annually by application.

If you have any questions, please do not hesitate to contact me at the number below or envapp@azdhs.gov.

Sincerely,

A handwritten signature in black ink that reads "Frank E. Martinez".

Frank E. Martinez
Laboratory Compliance Officer Supervisor
Office of Laboratory Licensure and Certification
Bureau of State Laboratory Services

FM:aam

cc: File
Enclosures: AZ NVLAP Letter & list of methods

Katie Hobbs | Governor

Debbie Johnston | Director

Arizona Department Of Health Services
Office of Laboratory Licensure and Certification

250 N.17th Avenue, Phoenix, Arizona 85007-3246

SW

Parameter	EPA Method	Certified On
BULK ASBESTOS	NIOSH 9002	5/31/2011 12:00:00 AM
FIBER COUNTING	7400	5/31/2011 12:00:00 AM
FIBER COUNTING	7402	6/5/2012 12:00:00 AM
		Total Count: 3

Instrument

Instrument	Instrument Code	Quantity	Certified On
TRANSMISSION ELECTRON MICROSCOPE	TEM	2	1/13/2020 8:48:50 AM
			Total Count: 1

Software

Software Code	Certified On
OTHER - TRANSMISSION ELECTRON MICROSCOPE	1/13/2020 8:50:46 AM
Total Count: 1	